



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**1. Timber Truss**

No.	Name and Address of System Provider	Material Properties	Type of Bracings	Connector System	Protective Coating for Metal Connectors	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
1	<b>KPMY ROOF BUILDER SDN BHD</b> D-987, Bukit Kubang Jambu, Jalan Kelantan, 20050 Kuala Terengganu  Tel : 09 – 631 3157 Fax: 09 – 624 2157  Nama P.E.: Ir. Rozaidi Bin Ramli (11587)	Hardwood Timber Strength Group SG1-SG4	Timber brace (Hardwood) SG1-SG4	Metal Plate Fastener (connectors) By MITEKS  <i>Min.Tensile Strength 320 MPa</i> <i>Min.Yield Stress 250 MPa</i>	ZincForm G300 (Z275)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>  <b>&amp;</b>  <b>C3 (Industrial Area &amp; Sea side)</b>	<b>Approval Validity Period Until</b>  <b>24/01/2022</b>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Utara)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
2	<p><b>HAI-POINT STEEL SDN. BHD.</b> No. 593, Jalan Pinang Jaya Bukit Pinang 06200 Kedah Darul Aman</p> <p>Tel : 04-7142487, 7143487, 7144487, 7146487, 7176388 Fax : 04-7142368</p> <p>Nama P.E. : Ir. Lee Chuk Kee (C16177)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p>	<p>a) MKT (Self-drilling Screws) b) M2 (Class 2)</p>	<p>HILTI (HSA-F)</p> <p><i>Min. thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b> <b>31/12/2020</b></p>
3	<p><b>BW YEE SENG STEEL INDUSTRIES SDN. BHD.</b> 1571, Jalan Serunai, Kawasan Perindustrian Valdor, Mukim 12 14200 Sungai Bakap Seberang Perai Selatan Pulau Pinang</p> <p>Tel : 04-5859999 Fax: 04-5859988</p> <p>Nama P.E.: Ir. Woon Chan Sang (C18682)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p> <p>&amp;</p> <p>Hot-dipped Zinc Coated (Z200)</p>	<p>a) MKT (Self-drilling Screws) b) M2 (Class 2) &amp; M3 (Class 3)</p>	<p>TENN</p> <p><i>Min. thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b> &amp; <b>C3 (Industrial Area &amp; Sea side)</b></p>	<p><b>Approval Validity Period Until</b> <b>21/01/2022</b></p>
4	<p><b>COOLDEC METAL INDUSTRIES SDN. BHD.</b> 8 &amp; 10, Jalan Pala 10, Kawasan Industri Ringan Permatang Tinggi, 14000 Bukit Mertajam, Penang</p> <p>Tel : 04-5885 198 / 398 Fax: 04-5889 598</p> <p>Nama P.E.: Ir. Woon Chan Sang (C18682)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Zinc Coated (Z200)</p>	<p>a) MKT (Self drilling Screw) b) M2 (Class 2)</p>	<p>MKT</p> <p><i>Min. thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period from</b> <b>17/01/2022</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Tengah)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
5	<b>SRT BUILDING SYSTEMS SDN. BHD.</b> 35 & 35A Lintasan Perajurit 17 Taman Perdagangan & Perindustrian Ipoh 31400 Ipoh Perak Darul Ridzuan  Tel : 05-542 3041 Fax : 05-542 3042 & 05-542 3043  Nama P.E.: Ir.Ong Chin Kuan ( C110001 )	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore  &  Hot-dipped Zinc Coated (Z200)	a) MKT (Self-Drilling Screws)  b) M2 (Class 2)	SIN HARP  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period Until</b>  <b>25/06/2021</b>
6	<b>NS BLUESCOPE LYSAGHT MALAYSIA SDN. BHD.</b> 6,Persiaran Kemajuan Seksyen 16 40200 Shah Alam, Selangor  Tel : 03 – 5520 6600 Fax: 03 – 5520 6601/6602  Nama P.E.: Ir. Hj Nik Zamri Bin Hj Zakaria (C17363) Ir. William Lee Ah Yew (C111961)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore	a) ASTeks Red Point (Self-drilling screws)  b) A2S (Class 2)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period Until</b>  <b>24/09/2023</b>
7	<b>KEMUNING STRUCTURES SDN. BHD.</b> Lot 3801, 6 1/4 Miles, Seksyen 32 Jalan Klinik, Bukit Kemuning 40460 Shah Alam, Selangor  Tel : 03 – 5162 1688 Fax: 03 – 5162 4286  Nama P.E.: Ir. Teoh Teik Seng (11620)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Zinc Coated (Z200)	a) OCEAN (Self-drilling Screws)  b) DX (Class 2)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period Until</b>  <b>20/08/2021</b>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Tengah)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
8	<p><b>LAVENDA BUILDING SYSTEMS SDN. BHD.</b> No. 2, Jalan Mandolin 33/5 Premier Industrial Park, Seksyen 33 40400 Shah Alam, Selangor</p> <p>Tel : 03-5614 3670 Fax: 03-5614 3671</p> <p>Nama P.E.: Ir. Mohd Jainuri Bin Hj Yarmo (C111101) Ir. Ooi Soon Hin (C111992) Ir. Voon Choo Yen (C112426)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore &amp; Hot-dipped Zinc Coated (Z200)</p>	<p>a) TENN (Self-drilling Screws) b) F2 (Class 2) &amp; F3 (Class 3)</p>	<p>HILTI (HSA-F)</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b>  <b>&amp;</b>  <b>C3 (Industrial Area &amp; Sea side)</b></p>	<p><b>Approval Validity Period Until</b>  <b>17/01/2022</b></p>
9	<p><b>THUNG HING INDUSTRIAL TRADING SDN. BHD.</b> Lot P.T 1351, Jalan Mohd Taib Kawasan Industri Sg. Choh 48000 Rawang Selangor Darul Ehsan</p> <p>Tel : 603 – 6099 9999/9996 Faks : 603 – 6099 9922</p> <p>Nama P.E : Ir. Liu Ching Hee (C113972)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p>	<p>a) Ocean (Self-drilling Screws) b) DX (Class 2) c) DX3 (Class 3)</p>	<p>OCEAN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b>  <b>&amp;</b>  <b>C3 (Industrial Area &amp; Sea side)</b></p>	<p><b>Temporary Suspended Period Until</b>  <b>07/06/2021</b></p>
10	<p><b>LOTEZ ENGINEERING SDN. BHD.</b> B 7-3-2 Block B, Megan Corporate Park Taman Desa Petaling 57100, Kuala Lumpur</p> <p>Tel : 03 – 9057 6691/ 6695 Fax: 03 – 9057 6617</p> <p>Nama P.E.: Ir. Ng Keng Bing (C112417) Ir. Lau Siang Ee (C113297)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Zinc Coated (Z200)</p>	<p>a) OCEAN (Self-drilling Screws) b) DX (Class 2)</p>	<p>OCEAN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b>  <b>06/12/2021</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Tengah)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
11	<p><b>SUPERSPAN SDN. BHD.</b> Lot. 2116, Jalan Nuri Kg. Kebun Baru Batu 9 42500, Telok Panglima Garang Selangor Darul Ehsan</p> <p>Tel : 03 – 3123 1348 Fax: 03 – 3123 1724</p> <p>Nama P.E.: Ir. Walter Sim Kian Joo (C19741)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p>	<p>a) OCEAN (Self-drilling Screws) b) DX (Class 2)</p>	<p>POWERDRIVE</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b> <b>21/02/2022</b></p>
12	<p><b>ASIA ROOFING INDUSTRIES SDN. BHD.</b> No.4, Jalan Sungai Pelubung 32/149 Seksyen 32 40460, Shah Alam Selangor Darul Ehsan.</p> <p>Tel : 03-5121 0011 Fax: 03-5121 0111</p> <p>Nama P.E.: Ir. Saw Han Woei (C112236)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p>	<p>a) Fast Mark (Self-drilling Screws) b) F2 (Class 2)</p>	<p>TENN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b> <b>18/10/2021</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Selatan)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
13	<p><b>JUARA STEEL SDN. BHD.</b> No. 64A, Jalan S2 D36, City Centre Seremban 2 70300 Seremban Negeri Sembilan.</p> <p>Tel : 06-6011595 Faks: 06-6011551</p> <p>Nama P.E.: Ir. Chong Chee Yen (C112798)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p>	<p>a) Ocean Fastrade Sdn. Bhd. (Self-drilling Screws) b) DX (Class 2)</p>	<p>OCEAN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b> <b>22/01/2022</b></p>
14	<p><b>ROLFOM INNOVATION SDN. BHD.</b> No. 126, Jalan P/AM 1/1 Arab Malaysian Industrial Park 71800 Nilai Negeri Sembilan</p> <p>Tel : 06-799 7296 Faks : 06-799 5296</p> <p>Nama P.E. : Ir.Che Suffian B. Che Hussin (C114992)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Zinc Coated (Z200)</p>	<p>a) TENN (Self-drilling Screws) b) J3 (Class 2)</p>	<p>TENN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period from</b> <b>29/4/2022</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Pantai Timur)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
15	<b>ARI TIMUR (KB) SDN. BHD.</b> Lot 1306 Kawasan Perindustrian Pengkalan Chepa II 16100 Kota Bharu Kelantan  Tel : 09-774 5946 Faks : 09-774 6946  Nama P.E.: Ir. Saw Han Woei (C112236)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore	a) Fast Mark (Self-drilling Screws) b) F2 (Class 2)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period Until</b>  <b>06/09/2023</b>
16	<b>DUNGUN INTERGRADE SDN. BHD.</b> Lot 6069, Batu 5, Jalan Paka, 23000 Dungun, Terengganu, Terengganu Darul Iman  Tel : 09 - 8422710 Fax : 09 - 8422712  Nama P.E.: Ir. Mohamad Sahide Bin Ibrahim (C112140) Ir. Safnawati Binti Sharbini (C110186)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore & Hot-dipped Zinc Coated (Z200)	a) TENN (Self-drilling Screws) b) F2(Class 2)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period Until</b>  <b>13/01/2022</b>
17	<b>HS HENG SENG METAL SDN. BHD.</b> PT 1431, Seksyen 39 Kawasan Perindustrian Pengkalan Chepa II Mukim Kemumin 16100 Kota Bharu Kelantan Darul Naim  Tel : 09-773 6233 / 0132 / 0136 Faks : 09-773 6135  Nama P.E.: Ir. Khor Phing Cheong (C12028)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Zinc Coated (AZ150)	a) Ocean Fastrade (Self-drilling Screws) b) DX (Class 2)	OCEAN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period Until</b>  <b>03/06/2021</b>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Pantai Timur)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
18	<b>BRICKWELL ENGINEERING SDN. BHD.</b> Lot 5139, Kawasan Perindustrian Pengkalan Chepa II 16100 Kota Bharu, Kelantan Darul  Tel : 09 – 771 7919 Fax: 09 – 771 7910  Nama P.E.: Ir. Zuhafilly Bin Ab. Rahman (C116582)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Zinc Coated (Z200)	a) TENN (Self-drilling Screws)  b) J3 (Class 2)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period from  10/04/2022</b>





**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Sabah)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
19	<p><b>BRISTEEL CORPORATION SDN. BHD.</b> 7A, Lorong Anggur Visa Industrial Estate Off Jalan Kolombong 88450 Kota Kinabalu, Sabah</p> <p>Tel: 088-382 811 / 15 Fax: 088-382 813</p> <p>Nama P.E : Ir.Heng Kok Keong (C16062) Ir. Josue Lozitin (C113757) Ir. Jonathan Wong En Tshung (C114103)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium/ Zinc Coated (AZ150) YKGI Holding Berhad</p>	<p>b) TENN (Self-drilling Screws) c) JX (Class 2) &amp; J3 (Class 3)</p>	<p>TENN SPOT NAILS SDN BHD</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b>  <b>&amp;</b>  <b>C3 (Industrial Area &amp; Sea side)</b></p>	<p><b>Approval Validity Period Until</b>  <b>21/01/2021</b></p>
20	<p><b>COLFORM SDN. BHD.</b> Lot 197, Lorong Sedco Light Industrial 5 Sedco Light Industrial Mile 2 ½, Off Jalan Utara P.O. Box 1166 90713, Sandakan, Sabah</p> <p>Tel : 089 – 238 833, 272 323 Fax: 089 – 272 829</p> <p>Nama P.E.: Ir. Goh Say Keong (C17578) Ir. Lau Kim Fong (C115889)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150)</p>	<p>a) Corroseal (Self-drilling Screws) b) CS3 (Class 3)</p>	<p>SIN HARP</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b>  <b>&amp;</b>  <b>C3 (Industrial Area &amp; Sea side)</b></p>	<p><b>Approval Validity Period Until</b>  <b>30/05/2021</b></p>
21	<p><b>TECK GUAN STEEL SDN. BHD.</b> No. 6, Jalan Cenderakasih, Off Jalan Lintas, Kolombong, 88450 Kota Kinabalu, Sabah Tel : 088-439955 Fax : 088-425135</p> <p>Nama P.E : Ir.Josue Lozitin ( C 113757) Ir. Chiu Kwan Lit ( C 18463)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate : Min. Thickness 1.2mm Main Truss Member &amp; Bracing : Min. Thickness 1.0mm Batten : Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Zinc Coated (Z200)</p>	<p>a) ASTeks Red Point (Self-drilling Screws) b) A2S (Class 2)</p>	<p>TENN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b>  <b>27/01/2022</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Sabah)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
22	<p><b>CITY TOP ENTERPRISE SDN. BHD.</b> Lorong Burong Keleto, Mile 5 1/2, 88450 Jalan Tuaran, Inanam, P.O.Box. 21064, 88768 Luyang, Kota Kinabalu Sabah Tel : 088-423333, 423331 Fax : 088-429200, 436617</p> <p>Nama P.E : Ir.Jusue Lozitin (C113757)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate : Min. Thickness 1.2mm Main Truss Member &amp; Bracing : Min. Thickness 1.0mm Batten : Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Zinc Coated (AZ150)</p>	<p>a) Asa Fastener (Self-drilling Screws) b) PX (Class 3)</p>	<p>ASA</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p> <p><b>&amp;</b></p> <p><b>C3 (Industrial Area &amp; Sea side)</b></p>	<p><b>Approval Validity Period Until</b></p> <p><b>09/12/2021</b></p>
23	<p><b>NS BLUESCOPE LYSAGHT SABAH SDN. BHD.</b> Lorong Kurma, Off Jalan Kolombong 88450 Kota Kinabalu, Sabah</p> <p>Tel : 088-445 161 Fax : 088-421 178</p> <p>Nama P.E.: Ir. Vun Wey Tyng (C18428)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	<p>Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore</p>	<p>a) ASTeks Red Point (Self-drilling Screws) b) A2S (Class 2)</p>	<p>OCEAN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<p><b>C2 (Normal Site)</b></p>	<p><b>Approval Validity Period Until</b></p> <p><b>19/10/2023</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Sarawak)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
24	<p><b>YUNCO BUILDING SYSTEMS SDN. BHD.</b> Lot 712, Block 7, Demak Laut Industrial Park 93050 Kuching Sarawak</p> <p>Tel : 082-432 880 Fax : 082-432 894</p> <p>Nama P.E.: Ir. Hii Ee Sing Michael (C15358)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	Hot-dipped Aluminium / Zinc Coated (AZ150)	<p>a) ASTeks Red Point (Self-drilling Screws)</p> <p>b) A2S (Class 2)</p>	<p>HILTI (HSA-F)</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<b>C2 (Normal Site)</b>	<p><b>Approval Validity Period Until</b> <b>08/07/2021</b></p>
25	<p><b>AMCAN SDN BHD</b> Lot 779, Block 7 Jalan Demak Laut 3, MTLD Sejingkat Industrial Park 93050 Kuching Sarawak</p> <p>Tel : 082-432323 Fax: 082-432828</p> <p>Nama P.E.: Ir. Robert Wong Sie Ung (C113997)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	Hot-dipped Aluminium / Zinc Coated (AZ150)	<p>a) ASTeks Red Point (Self-drilling Screws)</p> <p>b) A2S (Class 2)</p> <p>c) A3S (Class 3)</p>	<p>TENN</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<b>C2 (Normal Site) &amp; C3 (Industrial Area &amp; Sea side)</b>	<p><b>Approval Validity Period Until</b> <b>23/12/2022</b></p>
26	<p><b>ECOSTEEL SDN. BHD.</b> Lot 825, Block 7 Demak Laut Industrial Park 93050 Kuching, Sarawak</p> <p>Tel : 082 – 439 368 Fax: 082 – 433 063</p> <p>Nama P.E.: Ir. Ting Leong Hing Colin (C110725)</p>	<p><b>C-Lipped Channel &amp; Batten</b></p> <p>Wall Plate: Min. Thickness 1.2mm Main Truss Member &amp; Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm</p> <p><i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i></p> <p><i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i></p>	Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore	<p>a) ASTeks Red Point (Self-drilling Screws)</p> <p>b) A2S (Class 2)</p>	<p>HILTI (HSA-F)</p> <p><i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i></p>	<b>C2 (Normal Site)</b>	<p><b>Approval Validity Period Until</b> <b>16/01/2022</b></p>



**Senarai Pembekal Sistem Kekuda Bumbung JKR Malaysia**

**2. Cold Formed Steel Truss (Zon Sarawak)**

No.	Name and Address of System Provider	Material Properties	Minimum Corrosion Protection	Approved Fastener a) Manufacturer b) Head Marking (Class)	Approved Anchor Bolt (Manufacturer)	Site Area	Current Status
27	<b>NS BLUESCOPE LYSAGHT (SARAWAK) SDN. BHD.</b> Lot 610, Section 66 Jalan Merbau, Pending Industrial Area 93450 Kuching Sarawak  Tel : 082-333 621 Fax : 082-483 486  Nama P.E.: Ir. Robert Wong Sie Ung (C113997)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Aluminium / Zinc Coated (AZ150) Truecore	a) TENN Hexagonal Wafer Head (Self-drilling Screws) b) J3 (Class 3)	TENN  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>  <b>&amp;</b>  <b>C3 (Industrial Area &amp; Sea side)</b>	<b>Approval Validity Period Until</b>  <b>20/02/2022</b>
28	<b>SUPER GLORY INDUSTRIES SDN. BHD.</b> Lot 921, Blok 26, KLD Tanjung Kidurong Road P.O. Box 1954 97000 Bintulu, Sarawak.  Tel : 086-251 119 / 086-251 441 Faks : 086-251 444  Nama P.E.: Ir. Lim Lee Kiong (C113092) Ir. Robert Wong Sie Ung (C113997)	<b>C-Lipped Channel &amp; Batten</b>  Wall Plate: Min. Thickness 1.2mm Main Truss Member & Bracing: Min. Thickness 1.0mm Batten: Min. Thickness 0.5mm  <i>For base metal thickness less than or equal to 1.2mm then Min. Yield Stress 550 MPa</i>  <i>For base metal thickness greater than 1.2mm then Min. Yield Stress 450 MPa</i>	Hot-dipped Zinc Coated (Z200)	a) ASTeks Red Point (Self-drilling Screws) b) A2S (Class 2)	HILTI (HSA-F)  <i>Min.thickness of 42 micron coating by Hot-dipped Galvanized</i>	<b>C2 (Normal Site)</b>	<b>Approval Validity Period from</b>  <b>27/09/2021</b>

Nota:  - PUTIH

 - PENGGANTUNGAN SEMENTARA



Senarai ini dikeluarkan oleh : Pengarah Kanan  
Cawangan Kejuruteraan Awam & Struktur  
Jabatan Kerja Raya Malaysia  
Tingkat 4 - 10, Menara Kerja Raya (Blok G)  
Ibu Pejabat JKR  
Jalan Sultan Salahuddin  
50480, Kuala Lumpur

Pegawai untuk dihubungi	: Ir. Sharifah Rafizah Binti Syed Husin	Tel: 03-2618 9257	E-mel: <a href="mailto:srafizah@jkr.gov.my">srafizah@jkr.gov.my</a>
	Ir. Nor Azizah Binti Mohammed Rum	Tel: 03-2618 9208	E-mel: <a href="mailto:azizahrum@jkr.gov.my">azizahrum@jkr.gov.my</a>
	Pn. Fauzan Bt. Mustapha	Tel: 03-2618 9235	E-mel: <a href="mailto:fauzanm@jkr.gov.my">fauzanm@jkr.gov.my</a>
	En. Rasydan Syahrin Bin Ramli	Tel: 03-2618 9268	E-mel: <a href="mailto:rsyahrin@jkr.gov.my">rsyahrin@jkr.gov.my</a>
	En. Mohd Rosdi Bin Yusoff	Tel: 03-2618 9268	E-mel: <a href="mailto:rosdiy@jkr.gov.my">rosdiy@jkr.gov.my</a>
	En. Muhammad Asyraf Bin Amrin	Tel: 03-2618 9660	E-mel: <a href="mailto:asyrafamrin@jkr.gov.my">asyrafamrin@jkr.gov.my</a>
	Cik Hashima Binti Kamarudin	Tel: 03-2618 9268	E-mel: <a href="mailto:hashimak@jkr.gov.my">hashimak@jkr.gov.my</a>

- Untuk senarai terkini sila layari <https://www.jkr.gov.my>
- Laman sesawang JTruss sila layari <https://jtruss.jkr.gov.my>
- E-mel Jtruss sila layari [jtruss@jkr.gov.my](mailto:jtruss@jkr.gov.my)
- Rujukan Spesifikasi:

(1) *Specification Pre-Fabricated Cold Formed Steel Roof Trusses (JKR 20601-0186-11)*

(2) *Specification Pre-Fabricated Timber Roof Trusses (JKR 20601-0190-12)*